

INSUFLOOR ALU - RECHTE KANTEN

INSUFLOOR ALU - BORDS DROITS

λ_D : 0,022 W/mK (CE)

	Referentie Référence	Dikte Ep.	Afmeting Dimensions	St/pak Pcs/paq	Colli Colis	St/pal Pcs/pal	m ² /pal m ² /pal	R _D R _D	MOQ QMC	Prijs/m ² Prix/m ²
	06C040	40 mm	1200 x 600 mm	12	8,64 m ²	120	86,40	1,80	100 m ²	OA
	06C050	50 mm	1200 x 600 mm	10	7,20 m ²	100	72,00	2,25		OA
	06C060	60 mm	1200 x 600 mm	7	5,04 m ²	84	60,48	2,70	100 m ²	OA
	06C070	70 mm	1200 x 600 mm	6	4,32 m ²	72	51,84	3,15	100 m ²	OA
	06C080	80 mm	1200 x 600 mm	6	4,32 m ²	60	43,20	3,60		OA
	06C090	90 mm	1200 x 600 mm	5	3,60 m ²	50	36,00	4,05		OA
	06C100	100 mm	1200 x 600 mm	5	3,60 m ²	50	36,00	4,50	100 m ²	OA
	06C110	110 mm	1200 x 600 mm	4	2,88 m ²	40	28,80	5,00		OA
	06C120	120 mm	1200 x 600 mm	4	2,88 m ²	40	28,80	5,45		OA
	06C0401	40 mm	2400 x 1200 mm	9	25,92 m ²	54	155,52	1,80	100 m ²	OA
	06C0501	50 mm	2400 x 1200 mm	7	20,16 m ²	42	120,96	2,25	100 m ²	OA
	06C0601	60 mm	2400 x 1200 mm	6	17,28 m ²	36	103,68	2,70		OA
	06C0701	70 mm	2400 x 1200 mm	5	14,40 m ²	35	100,80	3,15	100 m ²	OA
	06C0801	80 mm	2400 x 1200 mm	5	14,40 m ²	30	86,40	3,60		OA
	06C0901	90 mm	2400 x 1200 mm	4	11,52 m ²	28	80,64	4,05		OA
	06C1001	100 mm	2400 x 1200 mm	4	11,52 m ²	24	69,12	4,50	100 m ²	OA
	06C1101	110 mm	2400 x 1200 mm	4	8,64 m ²	20	57,60	5,00		OA
	06C1201	120 mm	2400 x 1200 mm	3	8,64 m ²	18	51,84	5,45		OA

INSUWALL 4 X TAND-EN-GROEF

INSUWALL 4 X RAINURE ET LANGUETTE

λ_D : 0,022 W/mK (CE)

	Referentie Référence	Dikte Ep.	Afmeting Dimensions	St/pak Pcs/paq	Colli Colis	St/pal Pcs/pal	m ² /pal m ² /pal	R _D R _D	MOQ QMC	Prijs/m ² Prix/m ²
	06A040	40 mm	1200 x 600 mm	12	8,64 m ²	120	86,40	1,80		OA
	06A050	50 mm	1200 x 600 mm	10	7,20 m ²	100	72,00	2,25		OA
	06A060	60 mm	1200 x 600 mm	7	5,04 m ²	84	60,48	2,70		OA
	06A070	70 mm	1200 x 600 mm	6	4,32 m ²	72	51,84	3,15		OA
	06A080	80 mm	1200 x 600 mm	6	4,32 m ²	60	43,20	3,60		OA
	06A090	90 mm	1200 x 600 mm	5	3,60 m ²	50	36,00	4,05		OA
	06A100	100 mm	1200 x 600 mm	5	3,60 m ²	50	36,00	4,50		OA
	06A110	110 mm	1200 x 600 mm	4	2,88 m ²	40	28,80	5,00		OA
	06A120	120 mm	1200 x 600 mm	4	2,88 m ²	40	28,80	5,45		OA
	06A130	130 mm	1200 x 600 mm	3	2,16 m ²	36	25,92	5,85		OA
	06A140	140 mm	1200 x 600 mm	4	2,88 m ²	32	23,04	6,35		OA
	06A150	150 mm	1200 x 600 mm	3	2,16 m ²	30	21,60	6,80	100 m ²	OA
	06A160	160 mm	1200 x 600 mm	3	2,16 m ²	30	21,60	7,25	100 m ²	OA
	06A180	180 mm	1200 x 600 mm	3	2,16 m ²	24	17,28	8,15	100 m ²	OA

INSUROOF ALU - RECHTE KANTEN

INSUROOF ALU - BORDS DROITS

λ_D : 0,022 W/mK (CE)

	Referentie	Dikte	Afmeting	St/pak	Colli	St/pal	m ² /pal	R _D	MOQ	Prijs/m ²
	Référence	Ep.	Dimensions	Pcs/paq	Colis	Pcs/pal	m ² /pal	R _D	QMC	Prix/m ²
	06B020	20 mm	1200 x 600 mm	25	18,00 m ²	250	180,00	0,90		OA
	06B030	30 mm	1200 x 600 mm	14	10,08 m ²	140	100,80	1,35		OA
	06B040	40 mm	1200 x 600 mm	12	8,64 m ²	120	86,40	1,80		OA
	06B050	50 mm	1200 x 600 mm	10	7,20 m ²	100	72,00	2,25		OA
	06B060	60 mm	1200 x 600 mm	7	5,04 m ²	84	60,48	2,70		OA
	06B070	70 mm	1200 x 600 mm	6	4,32 m ²	72	51,84	3,15		OA
	06B080	82 mm	1200 x 600 mm	6	4,32 m ²	60	43,20	3,60		OA
	06B090	95 mm	1200 x 600 mm	5	3,60 m ²	50	36,00	4,05		OA
	06B100	100 mm	1200 x 600 mm	5	3,60 m ²	50	36,00	4,50		OA
	06B110	110 mm	1200 x 600 mm	4	2,88 m ²	40	28,80	5,00		OA
	06B120	120 mm	1200 x 600 mm	4	2,88 m ²	40	28,80	5,45		OA
	06B130	130 mm	1200 x 600 mm	3	2,16 m ²	36	25,92	5,85		OA
	06B140	140 mm	1200 x 600 mm	4	2,88 m ²	32	23,04	6,35		OA
	06B150	150 mm*	1200 x 600 mm	4	2,16 m ²	32	21,60	6,80		OA
	06B160	160 mm*	1200 x 600 mm	3	2,16 m ²	30	21,60	7,25		OA
	06B180	180 mm*	1200 x 600 mm	3	2,16 m ²	30	21,60	8,15		OA
	06B0201	20 mm	2400 x 1200 mm	16	46,08 m ²	112	322,56	0,90		OA
	06B0301	30 mm	2400 x 1200 mm	12	34,56 m ²	84	241,92	1,35		OA
	06B0401	40 mm	2400 x 1200 mm	9	25,92 m ²	63	181,44	1,80		OA
	06B0501	50 mm	2400 x 1200 mm	7	20,16 m ²	49	141,12	2,25		OA
	06B0601	60 mm	2400 x 1200 mm	6	17,28 m ²	42	120,96	2,70		OA
	06B0701	70 mm	2400 x 1200 mm	5	14,40 m ²	35	100,80	3,15		OA
	06B0801	82 mm	2400 x 1200 mm	5	14,40 m ²	30	86,40	3,60		OA
	06B0901	95 mm	2400 x 1200 mm	4	11,52 m ²	28	80,64	4,05		OA
	06B1001	100 mm	2400 x 1200 mm	4	11,52 m ²	24	69,12	4,50		OA
	06B1101	110 mm	2400 x 1200 mm	3	8,64 m ²	21	60,48	5,00		OA
	06B1201	120 mm	2400 x 1200 mm	3	8,64 m ²	18	51,84	5,45		OA
	06B1301	130 mm	2400 x 1200 mm	3	8,64 m ²	18	51,84	5,85		OA
	06B1401	140 mm	2400 x 1200 mm	4	11,52 m ²	16	46,08	6,45		OA
	06B1501	150 mm*	2400 x 1200 mm	4	8,64 m ²	16	43,20	6,80	100 m ²	OA
	06B1601	160 mm*	2400 x 1200 mm	3	8,64 m ²	15	43,20	7,25		OA
	06B1801	180 mm	2400 x 1200 mm	3	8,64 m ²	15	43,20	8,15		OA

* voorzien van sponning aan vier zijden

* pourvus de bords à battées

INSUROOF ALU XL SARKING - TAND EN GROEF AAN 4 ZIJDEN

INSUROOF ALU XL TOIT EN PENTE - RAINURE ET LANGUETTE SUR LES 4 CÔTÉS

λ_D : 0,022 W/mK (CE)

	Referentie Référence	Dikte Ep.	Afmeting Dimensions	St/pak Pcs/paq	Colli Colis	St/pal Pcs/pal	m ² /pal m ² /pal	R _D R _D	MOQ QMC	Prijs/m ² Prix/m ²
	06D100	100 mm	2400 x 1200 mm	4	11,52 m ²	24	69,12	4,50	1000m ²	OA
	06D120	120 mm	2400 x 1200 mm	3	8,64 m ²	21	60,48	5,45	1000m ²	OA
	06D140	140 mm	2400 x 1200 mm	4	11,52 m ²	16	46,08	6,35	1000m ²	OA
	06D160	160 mm	2400 x 1200 mm	3	8,64 m ²	15	43,20	7,25	1000m ²	OA

INSUROOF ALU AFSCHOT - RECHTE KANTEN

INSUROOF ALU PENTE - BORDS DROITS

λ_D : 0,022 W/mK (CE)

	Referentie Référence	Dikte Ep.	Afschot Pente	Afmeting Dimensions	St/pak Pcs/paq	Colli Colis	St/pal Pcs/pal	m ² /pal m ² /pal	R _D R _D	Prijs/m ² Prix/m ²
	06BS3040	10 mm	30/40	1200 x 1200 mm	12	17,28	72	103,68	1,60	OA
	06BS4050	10 mm	40/50	1200 x 1200 mm	10	14,40	50	72	2,05	OA
	06BS5060	10 mm	50/60	1200 x 1200 mm	8	11,52	40	57,60	2,50	OA
	06BS6070	10 mm	60/70	1200 x 1200 mm	6	8,64	36	51,84	2,95	OA
	06BS7080	10 mm	70/80	1200 x 1200 mm	6	8,64	30	43,20	3,40	OA
	06BS8090	10 mm	80/90	1200 x 1200 mm	4	5,76	28	40,32	3,85	OA
	06BS90100	10 mm	90/100	1200 x 1200 mm	4	5,76	24	34,56	4,30	OA
	06BS100110	10 mm	100/110	1200 x 1200 mm	4	5,76	24	34,56	4,75	OA
	06BS110120	10 mm	110/120	1200 x 1200 mm	4	5,76	20	28,80	5,20	OA
	06BS3045	15 mm	30/45	1200 x 1200 mm	12	17,28	60	86,40	1,70	OA
	06BS4560	15 mm	45/60	1200 x 1200 mm	8	11,52	48	69,12	2,35	OA
	06BS6075	15 mm	60/75	1200 x 1200 mm	6	8,64	36	51,84	3,05	OA
	06BS7590	15 mm	75/90	1200 x 1200 mm	6	8,64	30	43,20	3,75	OA
	06BS90105	15 mm	90/105	1200 x 1200 mm	4	5,76	24	34,56	4,40	OA
	06BS105120	15 mm	105/120	1200 x 1200 mm	4	5,76	20	28,80	5,10	OA
	06BS3050	20 mm	30/50	1200 x 1200 mm	12	17,28	60	86,4	1,80	OA
	06BS5070	20 mm	50/70	1200 x 1200 mm	8	11,52	40	57,6	2,70	OA
	06BS7090	20 mm	70/90	1200 x 1200 mm	6	8,64	30	43,2	3,60	OA
	06BS90110	20 mm	90/110	1200 x 1200 mm	4	5,76	24	34,56	4,50	OA
	06BS110130	20 mm	110/130	2400 x 1200 mm	4	5,76	20	28,8	5,45	OA